

Prepared for:

DOCTA RASTA CBD

30 MANITOU AVE
MANITOU SPRINGS, CO USA 80829

150mg Daily Trio Gummies

Batch ID or Lot Number:	Test: Potency	Reported: 13Dec2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000264601	Started: 11Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Dec2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.009	0.031	ND	ND	
Cannabichromenic Acid (CBCA)	0.008	0.028	ND	ND	
Cannabidiol (CBD)	0.030	0.085	0.230	2.30	
Cannabidiolic Acid (CBDA)	0.031	0.088	ND	ND	
Cannabidivarin (CBDV)	0.007	0.020	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.013	0.037	ND	ND	
Cannabigerol (CBG)	0.005	0.017	0.220	2.20	
Cannabigerolic Acid (CBGA)	0.021	0.073	ND	ND	
Cannabinol (CBN)	0.007	0.023	ND	ND	
Cannabinolic Acid (CBNA)	0.014	0.050	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.025	0.087	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.023	0.079	0.200	2.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.020	0.070	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.016	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.018	0.062	ND	ND	
Total Cannabinoids			0.650	6.50	
Total Potential THC			0.200	2.00	
Total Potential CBD			0.230	2.30	

Final Approval



Karen Winternheimer
13Dec2023
09:50:00 AM MST

PREPARED BY / DATE



Sam Smith
13Dec2023
09:53:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/aec3d04e-9106-4513-978f-af1241db8bb5>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
aec3d04e91064513978faf1241db8bb5.1