

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **Super Sour Space Candy**

Sample ID	SD230130-042 (60791)	Matrix	Flower (Inhalable Cannabis Good)
Tested for			
Sampled	-	Received	Jan 30, 2023
Analyses executed	CAN+, MWA	Reported	Feb 01, 2023

**\*CAN+ - Cannabinoids Analysis**

Analyzed Jan 31, 2023 | Instrument HPLC-VWD | Method SOP-001  
 Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	11.89	118.90
Cannabigerol Acid (CBGA)	0.001	0.16	0.39	3.87
Cannabigerol (CBG)	0.001	0.16	0.08	0.83
Cannabidiol (CBD)	0.001	0.16	0.66	6.63
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	0.10	0.99
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	0.09	0.91
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	0.51	5.08
Total THC (THCa + 0.877 + Δ9THC)			0.54	5.45
Total THC + Δ8THC (THCa + 0.877 + Δ9THC + Δ8THC)			0.54	5.45
Total CBD (CBDA + 0.877 + CBD)			11.09	110.91
Total CBG (CBGA + 0.877 + CBG)			0.42	4.22
Total Cannabinoids			12.15	121.49

\*Dry Weight %

**MWA - Moisture Content & Water Activity Analysis**

Analyzed Feb 01, 2023 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	Result	Limit	Analyte	Result	Limit
Moisture (Moi)	6.7 % Mw	13 % Mw	Water Activity (WA)	0.48 a <sub>w</sub>	0.85 a <sub>w</sub>

UI Not Identified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
 Wed, 01 Feb 2023 09:49:30 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.