

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC
 ISO/IEC 17025:2017 Acc. L17-427-1 #85368



Sample **OG Kush**

Sample ID	SD231201-088 (87931)	Matrix	Flower (Inhalable Cannabis Good)
Sampled	-	Received	Dec 01, 2023
Reported	Dec 04, 2023		
Analyses executed	CAN+, MWA		

* **CAN+ - Cannabinoids Analysis**

Analyzed Dec 04, 2023 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoid analysis is approximately $\pm 7.806\%$ at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	20.58	205.75
Cannabigerol Acid (CBGA)	0.001	0.16	2.32	23.19
Cannabigerol (CBG)	0.001	0.16	0.19	1.90
Cannabidiol (CBD)	0.001	0.16	0.94	9.42
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ^9 -THC)	0.003	0.16	ND	ND
Δ^8 -tetrahydrocannabinol (Δ^8 -THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	0.11	1.08
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	0.83	8.29
Total THC (THCa * 0.877 + Δ^9 THC)			0.73	7.27
Total THC + Δ^8 THC (THCa * 0.877 + Δ^9 THC + Δ^8 THC)			0.73	7.27
Total CBD (CBDA * 0.877 + CBD)			18.99	189.86
Total CBG (CBGA * 0.877 + CBG)			2.22	22.24
Total Cannabinoids			22.05	220.45

*Dry Weight %

MWA - Moisture Content & Water Activity Analysis

Analyzed Dec 01, 2023 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD %	LOQ %	Result	Limit	Analyte	LOD %	LOQ %	Result	Limit
Moisture (Moi)	0.0	0.0	5.8 % Mw	13 % Mw	Water Activity (WA)	0.03	0.03	0.42 a _w	0.85 a _w

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Mon, 04 Dec 2023 10:22:10 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

